


REVISIONS					
REV.	DESCRIPTION	DATE			
D	RELEASED TO CURRENT	8/1/2022			





RetroFAST® 0.150


PROPRIETARY AND C THE INFORMATION CO DRAWING IS THE SOLE BIO-MICROBICS, INC., REPRODUCTION IN PA WITHOUT THE WRITTEN BIO-MICROBICS, INC. I	ntained in this property of any rt or as a whole permission of s	DIMEN	RANCES ARE IN INCHES AND RANCES ARE AS FOLLOWS  X° ±1°  .X ± .50  .XX ± .25	BIO MICROBIC	
PROHIBITED.  DO NOT SCALI		DRAWN B	*:ESG 8/1/2022	RetroFAST® 0.150	
SHEET 1	OF 6	APPROVE	D BY: MSH	PART NUMBER	REV
SCALE: 1:8	SIZE:	APPROVE	ED BY DATE: 8/1/2022	600-FINRTF0.150	D














# NOTES:

## 1. ITEMS ARE DEPICTIONS AND MAY VARY IN APPEARANCE.

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BIO-MICROBICS, INC., ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BIO-MICROBICS, INC. IS PROHIBITED.		INTAINED IN THIS PROPERTY OF ANY RT OR AS A WHOLE PERMISSION OF	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND TOLERANCES ARE AS FOLLOWS X° ±1° X ± .50 XX ± .25  DRAWN BY:  UNLESS OTHERWISE SPECIFIED  BIOMICROB  BETTER WATER. BETTER	
DO NOT SCALE DRAWING		E DRAWING	ESG  DATE: 8/1/2022  DESCRIPTION RetroFAST 0.150 UN	Т
	SHEET 2 OF 6		APPROVED BY:  MSH  PART NUMBER	REV
SC.	1:8	SIZE: B	APPROVED BY DATE: 8/1/2022 600-FINRTF0.150	D










- AIRLINE PIPING TO FAST® MAY NOT EXCEED 100 FT (30M) TOTAL LENGTH AND HAVE A MAXIMUM OF 4 ELBOWS IN THE PIPING SYSTEM. FOR DISTANCES GREATER THAN 100 FT (30M) CONSULT FACTORY. IF LESS THAN THE SPECIFIED MINIMUMS ARE CONSIDERED NECESSARY, CONSULT FACTORY FOR GUIDANCE. SPECIALIZED TREATMENT LEVELS MAY REQUIRE SPECIFIC FEATURES TO BE INCORPORATED INTO THE DESIGN. CONSULT FACTORY FOR GUIDANCE. SOME ITEMS REMOVED FOR CLARITY.

-				
PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BIO-MICROBICS, INC., ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BIO-MICROBICS, INC. IS		INTAINED IN THIS PROPERTY OF ANY RT OR AS A WHOLE PERMISSION OF	UNLESS OTHERWISE SPECIFIED  DIMENSIONS ARE IN INCHES AND TOLERANCES ARE AS FOLLOWS  X° ±1°  .X ± .50  .XX ± .25  BETTER WATER BETTER W	
	PROHIBITED.  DO NOT SCALI	E DRAWING	DRAWN BY: ESG DESCRIPTION RetroFAST 0.150 RETR	OFIT
	SHEET 3 OF 6		APPROVED BY:  MSH  PART NUMBER	REV
	1:20	SIZE:	APPROVED BY DATE: 8/1/2022 600-FINRTF0.150	D









- 1. AIRLINE PIPING TO FAST® MAY NOT EXCEED 100 FT (30M) TOTAL LENGTH AND HAVE A MAXIMUM OF 4 ELBOWS IN THE PIPING SYSTEM. FOR DISTANCES GREATER THAN 100 FT (30M) CONSULT FACTORY.
- FACTORY.

  2. IF LESS THAN THE SPECIFIED MINIMUMS ARE CONSIDERED NECESSARY, CONSULT FACTORY FOR GUIDANCE.


  3. SPECIALIZED TREATMENT LEVELS MAY REQUIRE SPECIFIC FEATURES
- 3. SPECIALIZED TREATMENT LEVELS MAY REQUIRE SPECIFIC FEATURES TO BE INCORPORATED INTO THE DESIGN. CONSULT FACTORY FOR GUIDANCE.
- 4. SOME ITEMS REMOVED FOR CLARITY.

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BIO-MICROBICS, INC., ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BIO-MICROBICS, INC., IS		UNLESS OTHERWISE SPECIFIED  DIMENSIONS ARE IN INCHES AND  TOLERANCES ARE AS FOLLOWS  X° ±1°  .X ± .50  .XX ± .25	BIO MICROBIO	
PROHIBITED.  DO NOT SCAL	E DRAWING	ESG DATE: 8/1/2022	RetroFAST 0.150 NEW	
SHEET 4 OF 6		APPROVED BY:	CONSTRUCTION  PART NUMBER	REV
1:20	SIZE:	APPROVED BY DATE: 8/1/2022	600-FINRTF0.150	D






5" MIN [12.7cm MIN] 39¾" MIN [100.1cm MIN] 37¾" MIN [87.4cm MIN]




- 1. MINIMUM DIMENSIONS DO NOT DETERMINE OVERALL TANK CAPACITY.
- 2. INSPECTION/PUMPOUT PORT LOCATIONS MAY VARY DEPENDING ON TANK CONSTRUCTION.
- 3. ALL APPURTENANCES TO FAST® (E.G. TANKS, ACCESS PORTS, 8. ELECTRICAL, ETC.) MUST CONFORM TO ALL APPLICABLE COUNTY, 9. STATE, PROVINCE, AND LOCAL PLUMBING AND ELECTRICAL CODES.
- 4. PUMP OUT ACCESS SHALL BE ADEQUATE TO THOROUGHLY CLEAN OUT SETTLING AND TREATMENT ZONES.
- 5. IF LESS THAN THE SPECIFIED MINIMUMS ARE CONSIDERED NECESSARY, CONSULT FACTORY FOR GUIDANCE.
- 6. SPECIALIZED TREATMENT NEEDS MAY REQUIRE SPECIFIC FEATURES TO BE INCORPORATED INTO THE DESIGN. CONSULT FACTORY FOR GUIDANCE.

- MINIMUM OF 2.0in [5.1cm]INVERT IS NECESSARY BETWEEN THE INLET AND OUTLET OF EACH ZONE FOR GRAVITY FLOW SYSTEMS.
- . TANK VOLUMES MAY VARY BY APPLICATION AND JURISDICTION.
- 9. RETROFAST UNITS CAN GO INTO OTHER THAN SHOWN TYPES OF TANKS, NON RECTANGULAR, PLASTIC, ETC.
- 10. TANKS OF VARYING SHAPE AND MATERIAL CAN BE USED WITHIN SPECIFIED MINIMUMS.
- 11. TANK SET UP MAY BE DIFFERENT THAN SHOWN, i.e., SEPARATE SETTLING AND TREATMENT TANKS.
- 12. THE OPENING TO INSERT THE LINER INTO THE TANK CAN BE ROUND OR SQUARE.

PROPRIETARY AND C THE INFORMATION CO DRAWING IS THE SOLE BIO-MICROBICS, INC., REPRODUCTION IN PA WITHOUT THE WRITTEN BIO-MICROBICS, INC. I	INTAINED IN THIS PROPERTY OF ANY RT OR AS A WHOLE PERMISSION OF	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND TOLERANCES ARE AS FOLLOWS X° ±1° .X ± .50 .XX ± .25  BETTER WATER. BETTER WA	
PROHIBITED.  DO NOT SCALI	E DRAWING	DRAWN BY: ESG DESCRIPTION TANK DETAIL DIMENS	ONS
SHEET 5 OF 6		APPROVED BY:  MSH  PART NUMBER	REV
1:20	SIZE:	APPROVED BY DATE: 600-FINRTF0.150	D





# **BLOWER PAD**

- SOME RETROFAST CONFIGURATIONS MAY REQUIRE DIFFERENT BLOWER HOUSINGS.
  BLOWER MUST BE LOCATED ABOVE FLOOD LEVELS.

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BIO-MICROBICS, INC., ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BIO-MICROBICS, INC. IS PROHIBITED.	UNLESS OTHERWISE SPECIFIED  DIMENSIONS ARE IN INCHES AND  TOLERANCES ARE AS FOLLOWS  X° ±1°  .X ± .50  .XX ± .25  DRAWN BY:	BIO MICROBIC	
DO NOT SCALE DRAWING	ESG DATE: 8/1/2022	DESCRIPTION BLOWER PAD DETAILS	
SHEET 6 OF 6	APPROVED BY:  MSH	PART NUMBER	REV
SCALE: SIZE: B	APPROVED BY DATE: 8/1/2022	600-FINRTF0.150	D